





**DOORAS**  
FIRE FIGHTING EQUIPMENT



# DRS 1100 SERIES

[www.dooras.com](http://www.dooras.com)

# COVER OPTIONS



DRS 1100 T1 COVER



DRS 1100 T2 COVER



DRS 1100 T3 COVER



DRS 1100 T4 COVER

## DRS 1100

## PRODUCT TECHNICAL SPECIFICATIONS

### INTERNAL MATERIALS

- Water Supplied from Center, Corrosion Resistant Reel, TS-EN 671-1 / CE Certified
- Semi-Hard Fire Hose with round section, TS EN 694 Certificated
- Interconnection Hose (Unbreakable Type) Providing Water Passage between Valve and Reel Center
- 2" Fire Valve (Brass), TS 12259 Certificated
- 2" Internal Threaded Union (Aluminum - Storz Type) TS 12258 Certificated
- 2"x 1" Reduction (Aluminum - Storz Type) TS 12258 Certificated
- 6mm Made of Sheet Metal, Laser Cut Reel Arm (Provides 270° Reel Movement)
- With Jet, Spray and Off positions and Nozzle according to UL-FM and DIN / EN 671-1
- A1 Quality Sheet Metal Production, Reel Rim
- Reel Rim Phosphate Coating, Completely Electrostatic Powder Painted. (Red)
- Reel Arm Phosphate Coating, Completely Electrostatic Powder Painted. (Black)
- Products are shipped with cardboard packaging after tested hundred percent.
- All Hose Connections are done with Special Press Method. Clamp etc. are never used.
- All hose Connections are covered with plastic to prevent the damage to user.

### DISASSEMBLED COVER

- A1 Quality Sheet Metal Production, Disassembled Sheet Metal or Glass Cover
- Recessed Handle (Corrosion Resistant - Stainless)
- 180 ° Openable, Recessed-Hidden Hinge System (Corrosion Resistant - Stainless)
- 4mm, Smoked Color or Black Painted Tempered Glass on Glass Covers
- Warning Signs and Signs in ISO 7010 Standards on the Cover (Tear-Free and Nonfading)
- Cover Phosphate Coating with Red or White Electrostatic Powder Painted.
- \* Optional Color and Design Options (Ral Codes for customer requests)
- \* Optional, Completely Stainless CrNi Material Options are available.


### CASE

- A1 Quality Manufactured as a single piece of sheet metal, Recessed or Surface Mounted Case
- Breakable Valve Connection Caps on Side, Top and Back Surfaces of the Case
- Case Design Suitable for Right and Left Handed Reels
- Reinforced Reel / Basket Carrying Console on Both Side Walls of Case
- Mounting, Ventilation and Water Drain Holes
- Case Phosphate Coating with Red or White Electrostatic Powder Painted.
- Optional Color and Design Options (Ral Codes for customer requests)
- Optional, Completely Stainless CrNi Material Options are available.
- Tear-proof, Nonfading, PVC Operating Instructions are available on the Case.




# DRS 1100 ONE DOOR FIRE CABINETS WITH SEMI-RIGID HOSE - WITHOUT FIRE EXTINGUISHER

RECESSED TYPE



SURFACE MOUNTED TYPE



RECESSED TYPE

	MODEL	PRODUCT DESCRIPTION	CASE TYPE	CASE DIMENSIONS (mm)	COVER OPTIONS
1" Semi Hard Hose	DRS1115.1RT_	1"-15m Semi Hard Hosed, Single Cover Fire Cabinet	Recessed	740x740x200	T1,T2,T3,T4
	DRS1120.1RT_	1"-20m Semi Hard Hosed, Single Cover Fire Cabinet		740x740x200	
	DRS1125.1RT_	1"-25m Semi Hard Hosed, Single Cover Fire Cabinet		740x740x200	
	DRS1130.1RT_	1"-30m Semi Hard Hosed, Single Cover Fire Cabinet		740x740x200	
3/4" Semi Hard Hose	DRS1115.0RT_	3/4"-15m Semi Hard Hosed, Single Cover Fire Cabinet	Recessed	740x740x200	T1,T2,T3,T4
	DRS1120.0RT_	3/4"-20m Semi Hard Hosed, Single Cover Fire Cabinet		740x740x200	
	DRS1125.0RT_	3/4"-25m Semi Hard Hosed, Single Cover Fire Cabinet		740x740x200	
	DRS1130.0RT_	3/4"-30m Semi Hard Hosed, Single Cover Fire Cabinet		740x740x200	

SURFACE MOUNTED TYPE

	MODEL	PRODUCT DESCRIPTION	CASE TYPE	CASE DIMENSIONS (mm)	COVER OPTIONS
1" Semi Hard Hose	DRS1115.1ST_	1"-15m Semi Hard Hosed, Single Cover Fire Cabinet	Surface Mounted	760x760x200	T1,T2,T3,T4
	DRS1120.1ST_	1"-20m Semi Hard Hosed, Single Cover Fire Cabinet		760x760x200	
	DRS1125.1ST_	1"-25m Semi Hard Hosed, Single Cover Fire Cabinet		760x760x200	
	DRS1130.1ST_	1"-30m Semi Hard Hosed, Single Cover Fire Cabinet		760x760x200	
3/4" Semi Hard Hose	DRS1115.0ST_	3/4"-15m Semi Hard Hosed, Single Cover Fire Cabinet	Surface Mounted	760x760x200	T1,T2,T3,T4
	DRS1120.0ST_	3/4"-20m Semi Hard Hosed, Single Cover Fire Cabinet		760x760x200	
	DRS1125.0ST_	3/4"-25m Semi Hard Hosed, Single Cover Fire Cabinet		760x760x200	
	DRS1130.0ST_	3/4"-30m Semi Hard Hosed, Single Cover Fire Cabinet		760x760x200	

DOORAS A.Ş. reserves the right to make modifications on the products without notification.





**DOORAS**  
FIRE FIGHTING EQUIPMENT

**FIRE HOSE CABINET**