





DOORAS
FIRE FIGHTING EQUIPMENT




DRS 1200 SERIES

www.dooras.com


COVER OPTIONS




DRS 1200 T1 COVER



DRS 1200 T2 COVER



DRS 1200 T3 COVER



DRS 1200 T4 COVER

NOTE: The product is produced as reel chamber on the right as standard. You can also turn the case and covers 180° to make the reel chamber to be on the left. However, after being turned, the Small Cover and the Large Cover Locks must be replaced with each other.

DRS 1200

INTERNAL MATERIALS

- Water Supplied from Center, Corrosion Resistant Reel, TS-EN 671-1 / CE Certified
- Semi-Hard Fire Hose with round section, TS EN 694 Certificated
- Interconnection Hose (Unbreakable Type) Providing Water Passage between Valve and Reel Center
- 2" Fire Valve (Brass), TS 12259 Certificated
- 2" Internal Threaded Union (Aluminum - Storz Type) TS 12258 Certificated
- 2"x 1" Reduction (Aluminum - Storz Type) TS 12258 Certificated
- 6mm Made of Sheet Metal, Laser Cut Reel Arm (Provides 270° Reel Movement)
- With Jet, Spray and Off positions and Nozzle according to UL-FM and DIN / EN 671-1
- 6Kg, Dry Chemical Powder Fire Extinguisher Tube (ABC Class) TS862-7 EN3 Certificated
- A1 Quality Sheet Metal Production, Reel Rim
- Reel Rim Phosphate Coating, Completely Electrostatic Powder Painted. (Red)
- Reel Arm Phosphate Coating, Completely Electrostatic Powder Painted. (Black)
- Products are shipped with cardboard packaging after tested hundred percent.
- All Hose Connections are done with Special Press Method. Clamp etc. are never used.
- All hose Connections are covered with plastic to prevent the damage to user.

PRODUCT TECHNICAL SPECIFICATIONS

DISASSEMBLED COVER


- A1 Quality Sheet Metal Production, Disassembled Sheet Metal or Glass Cover
- Recessed Handle Lock on T1 - T2 - T3 Model Covers (Corrosion Resistant - Stainless)
- "End to End Cover Handle" on T4 Model Covers
- 180° Openable, Recessed-Hidden Hinge System (Corrosion Resistant - Stainless)
- 4mm, Smoked Color or Black Painted Tempered Glass on Glass Covers
- Warning Signs and Signs in ISO 7010 Standards on the Cover (Tear-Free and Nonfading)
- Cover Phosphate Coating with Red or White Electrostatic Powder Painted.
- Optional Color and Design Options (Ral Codes for customer requests)
- Optional, Completely Stainless CrNi Material Options are available.

CASE


- A1 Quality Manufactured as a single piece of sheet metal, Recessed or Surface Mounted Case
- Vertically Positioned 1 piece 6kg Fire Tube Capable Capacity
- Breakable Valve Connection Caps on Side, Top and Back Surfaces of the Case
- Case Design Suitable for Right and Left Handed Reels
- Can be used right or left by turning the case 180 °.
- Mounting, Ventilation and Water Drain Holes
- Case Phosphate Coating with Red or White Electrostatic Powder Painted.
- Optional Color and Design Options (Ral Codes for customer requests)
- Optional, Completely Stainless CrNi Material Options are available.
- Tear-proof, Nonfading, PVC Operating Instructions are available on the Case.

DRS 1200 DOUBLE DOOR FIRE CABINETS WITH SEMI-RIGID HOSE - WITH FIRE EXTINGUISHER HELD UPRIGHT

RECESSED TYPE



SURFACE MOUNTED TYPE



RECESSED TYPE

	MODEL	PRODUCT DESCRIPTION	CASE TYPE	CASE DIMENSIONS (mm)	COVER OPTIONS
1" Semi Hard Hose	DRS1215.1RT_	1"-15m Semi Hard Hosed, Double Cover, Tubed Fire Cabinet	Recessed	980x740x200	T1,T2,T3,T4
	DRS1220.1RT_	1"-20m Semi Hard Hosed, Double Cover, Tubed Fire Cabinet		980x740x200	
	DRS1225.1RT_	1"-25m Semi Hard Hosed, Double Cover, Tubed Fire Cabinet		980x740x200	
	DRS1230.1RT_	1"-30m Semi Hard Hosed, Double Cover, Tubed Fire Cabinet		980x740x200	
3/4" Semi Hard Hose	DRS1215.0RT_	3/4"-15m Semi Hard Hosed, Double Cover, Tubed Fire Cabinet	Recessed	980x740x200	T1,T2,T3,T4
	DRS1220.0RT_	3/4"-20m Semi Hard Hosed, Double Cover, Tubed Fire Cabinet		980x740x200	
	DRS1225.0RT_	3/4"-25m Semi Hard Hosed, Double Cover, Tubed Fire Cabinet		980x740x200	
	DRS1230.0RT_	3/4"-30m Semi Hard Hosed, Double Cover, Tubed Fire Cabinet		980x740x200	

SURFACE MOUNTED TYPE

	MODEL	PRODUCT DESCRIPTION	CASE TYPE	CASE DIMENSIONS (mm)	COVER OPTIONS
1" Semi Hard Hose	DRS1215.1ST_	1"-15m Semi Hard Hosed, Double Cover, Tubed Fire Cabinet	Surface Mounted	1000x760x200	T1,T2,T3,T4
	DRS1220.1ST_	1"-20m Semi Hard Hosed, Double Cover, Tubed Fire Cabinet		1000x760x200	
	DRS1225.1ST_	1"-25m Semi Hard Hosed, Double Cover, Tubed Fire Cabinet		1000x760x200	
	DRS1230.1ST_	1"-30m Semi Hard Hosed, Double Cover, Tubed Fire Cabinet		1000x760x200	
3/4" Semi Hard Hose	DRS1215.0ST_	3/4"-15m Semi Hard Hosed, Double Cover, Tubed Fire Cabinet	Surface Mounted	1000x760x200	T1,T2,T3,T4
	DRS1220.0ST_	3/4"-20m Semi Hard Hosed, Double Cover, Tubed Fire Cabinet		1000x760x200	
	DRS1225.0ST_	3/4"-25m Semi Hard Hosed, Double Cover, Tubed Fire Cabinet		1000x760x200	
	DRS1230.0ST_	3/4"-30m Semi Hard Hosed, Double Cover, Tubed Fire Cabinet		1000x760x200	

DOORAS A.Ş. reserves the right to make modifications on the products without notification.





DOORAS

FIRE FIGHTING EQUIPMENT



That moment,
to start one step ahead.

www.dooras.com