





DOORAS
FIRE FIGHTING EQUIPMENT



DRS 1500 SERIES

www.dooras.com

COVER OPTIONS




DRS 1500 T1 COVER



DRS 1500 T2 COVER



DRS 1500 T3 COVER



DRS 1500 T4 COVER

DRS 1500

INTERNAL MATERIALS (2 SET)

- Water Supplied from Center, Corrosion Resistant Reel, TS-EN 671-1 / CE Certified
- Semi-Hard Fire Hose with round section, TS EN 694 Certificated
- Interconnection Hose (Unbreakable Type) Providing Water Passage between Valve and Reel Center
- 2" Fire Valve (Brass), TS 12259 Certificated
- 2" Internal Threaded Union (Aluminum - Storz Type) TS 12258 Certificated
- 2"x 1" Reduction (Aluminum - Storz Type) TS 12258 Certificated
- 6mm Made of Sheet Metal, Laser Cut Reel Arm (Provides 270° Reel Movement)
- With Jet, Spray and Off positions and Nozzle according to UL-FM and DIN / EN 671-1
- A1 Quality Sheet Metal Production, Reel Rim
- Reel Rim Phosphate Coating, Completely Electrostatic Powder Painted. (Red)
- Reel Arm Phosphate Coating, Completely Electrostatic Powder Painted. (Black)
- Products are shipped with cardboard packaging after tested hundred percent.
- All Hose Connections are done with Special Press Method. Clamp etc. are never used.
- All hose Connections are covered with plastic to prevent the damage to user.

PRODUCT TECHNICAL SPECIFICATIONS



DISASSEMBLED COVER

- A1 Quality Sheet Metal Production, Disassembled Sheet Metal or Glass Cover
- Recessed Handle (Corrosion Resistant - Stainless)
- 180° Openable, Recessed-Hidden Hinge System (Corrosion Resistant - Stainless)
- 4mm, Smoked Color or Black Painted Tempered Glass on Glass Covers
- Warning Signs and Signs in ISO 7010 Standards on the Cover (Tear-Free and Nonfading)
- Cover Phosphate Coating with Red or White Electrostatic Powder Painted.
- Optional Color and Design Options (Ral Codes for customer requests)
- Optional, Completely Stainless CrNi Material Options are available.

CASE

- A1 Quality Manufactured as a single piece of sheet metal, Recessed or Surface Mounted Case
- Breakable Valve Connection Caps on Side, Top and Back Surfaces of the Case
- Case Design Suitable for Right and Left Handed Reels
- Reinforced Reel / Basket Carrying Console on Both Side Walls of Case
- Mounting, Ventilation and Water Drain Holes
- Case Phosphate Coating with Red or White Electrostatic Powder Painted.
- Optional Color and Design Options (Ral Codes for customer requests)
- Optional, Completely Stainless CrNi Material Options are available.
- Tear-proof, Nonfading, PVC Operating Instructions are available on the Case.

DRS 1500 DOUBLE DOOR FIRE CABINETS WITH SEMI-RIGID HOSE - WITH 2 SETS OF ACCESSORIES



RECESSED TYPE

	MODEL	PRODUCT DESCRIPTION	CASE TYPE	CASE DIMENSIONS (mm)	COVER OPTIONS
1" Semi Hard Hose	DRS1515.1RT_	1"-15m Semi Hard Hosed, Double Cover, Double Reel Fire Cabinet	Recessed	740x1510x200	T1,T2,T3,T4
	DRS1520.1RT_	1"-20m Semi Hard Hosed, Double Cover, Double Reel Fire Cabinet		740x1510x200	
	DRS1525.1RT_	1"-25m Semi Hard Hosed, Double Cover, Double Reel Fire Cabinet		740x1510x200	
	DRS1530.1RT_	1"-30m Semi Hard Hosed, Double Cover, Double Reel Fire Cabinet		740x1510x200	
3/4" Semi Hard Hose	DRS1515.0RT_	3/4"-15m Semi Hard Hosed, Double Cover, Double Reel Fire Cabinet	Recessed	740x1510x200	T1,T2,T3,T4
	DRS1520.0RT_	3/4"-20m Semi Hard Hosed, Double Cover, Double Reel Fire Cabinet		740x1510x200	
	DRS1525.0RT_	3/4"-25m Semi Hard Hosed, Double Cover, Double Reel Fire Cabinet		740x1510x200	
	DRS1530.0RT_	3/4"-30m Semi Hard Hosed, Double Cover, Double Reel Fire Cabinet		740x1510x200	

SURFACE MOUNTED TYPE

	MODEL	PRODUCT DESCRIPTION	CASE TYPE	CASE DIMENSIONS (mm)	COVER OPTIONS
1" Semi Hard Hose	DRS1515.1ST_	1"-15m Semi Hard Hosed, Double Cover, Double Reel Fire Cabinet	Surface Mounted	760x1530x200	T1,T2,T3,T4
	DRS1520.1ST_	1"-20m Semi Hard Hosed, Double Cover, Double Reel Fire Cabinet		760x1530x200	
	DRS1525.1ST_	1"-25m Semi Hard Hosed, Double Cover, Double Reel Fire Cabinet		760x1530x200	
	DRS1530.1ST_	1"-30m Semi Hard Hosed, Double Cover, Double Reel Fire Cabinet		760x1530x200	
3/4" Semi Hard Hose	DRS1515.0ST_	3/4"-15m Semi Hard Hosed, Double Cover, Double Reel Fire Cabinet	Surface Mounted	760x1530x200	T1,T2,T3,T4
	DRS1520.0ST_	3/4"-20m Semi Hard Hosed, Double Cover, Double Reel Fire Cabinet		760x1530x200	
	DRS1525.0ST_	3/4"-25m Semi Hard Hosed, Double Cover, Double Reel Fire Cabinet		760x1530x200	
	DRS1530.0ST_	3/4"-30m Semi Hard Hosed, Double Cover, Double Reel Fire Cabinet		760x1530x200	

DOORAS A.Ş. reserves the right to make modifications on the products without notification.





DOORAS
FIRE FIGHTING EQUIPMENT

